

To: CN=Gregory Oberley/OU=R8/O=USEPA/C=US@EPA[]
Cc: []
From: CN=Ayn Schmit/OU=R8/O=USEPA/C=US
Sent: Wed 9/5/2012 9:46:43 PM
Subject: Fw: Draft FYI
07112012 Pavillion GW Sampling & Monitoring Recommendations FINAL DRAFT for REVIEW.pdf

Did I already send this to you? I haven't had a chance to look at it but we probably need to before Friday

Ayn E. Schmit
Water Policy Advisor

(PH) 303-312-6220 (FAX) 303-312-7150
EPA Region 8
1595 Wynkoop Street
Denver, Colorado 80202-1129
schmit.ayn@epa.gov

----- Forwarded by Ayn Schmit/R8/USEPA/US on 09/05/2012 03:45 PM -----

From: Kevin Frederick <kevin.frederick@wyo.gov>
To: Ayn Schmit/R8/USEPA/US@EPA
Date: 07/27/2012 05:09 PM
Subject: Draft FYI

Kevin Frederick, P.G.
Manager, Groundwater Section
Water Quality Division
Wyoming Department of Environmental Quality
122 W. 25th St. - 4W
Cheyenne, WY 82002

(307) - 777- 5985

E-Mail to and from me, in connection with the transaction
of public business, is subject to the Wyoming Public Records
Act and may be disclosed to third parties.